ADHD: Reframe, Regulate, Reconnect.

A Trauma-Informed, ADHD-Adapted Guide to Healing, Authenticity and Belonging.

For Late-Diagnosed Adults Reclaiming Safety After a Lifetime of Masking.

TREVOR STEPHENSON

ADHD: Reframe, Regulate, Reconnect

A Trauma-Informed, ADHD-Adapted Guide to Healing, Authenticity and Belonging

For Late-Diagnosed Adults Reclaiming Safety After a Lifetime of Masking

Trevor Stephenson

Copyright

Copyright © 2026 by Trevor Stephenson

All rights reserved.

Author: Trevor Stephenson

Publisher: Trevor Stephenson

First Edition: 2026

London, United Kingdom

No part of this book may be reproduced, stored in a retrieval system, or transmitted in any form or by any means - electronic, mechanical, photocopying, recording, or otherwise - without the prior written permission of the publisher, except in the case of brief quotations embodied in critical articles and reviews.

This book is independently published by the author.

For permissions, contact:
spectrumthreadzpress@gmail.com

Printed in the United Kingdom

Disclaimer And Content Note

This book is for educational and informational purposes only. It is not intended as, and should not be construed as, medical, psychological, psychiatric, or therapeutic advice, diagnosis, or treatment.

The information in this book is based on the author's research, professional experience, lived experience, and synthesis of current literature on ADHD and trauma. While every effort has been made to ensure accuracy at the time of publication, the fields of neuroscience, psychology, and ADHD research are evolving.

This book is not a substitute for professional support. If you are experiencing significant distress, trauma symptoms, suicidal thoughts, self-harm

urges, or a mental health crisis, please seek support from a qualified mental health professional, your GP, or crisis support services in your area.

In the UK:

Samaritans: 116 123 (24 hours)

Shout Text Line: Text SHOUT to 85258

NHS Urgent Mental Health Helpline: Find your local number via nhs.uk

If you are outside the UK, please contact your local crisis support service or emergency services (e.g., 988 in the US, 116 123 in many other countries).

Some exercises in this book involve revisiting past experiences. Please use choice and pacing. You have full permission to skip, adapt, or pause any practice. Healing is best supported within safe

relationships, including therapeutic support where possible.

The case vignettes in this book are anonymized composites based on common patterns, not identifiable individuals. Any resemblance to specific persons is coincidental.

The author uses both identity-first (ADHD adult) and person-first language at times, recognizing that preferences vary. The intention is respect for neurodivergent identity.

Dedication

For everyone who was called too much and not enough in the same week.

For those who masked to belong and are now learning to belong as themselves.

And for my younger self, who was trying so hard without a manual.

Contents

Introduction: Why This Book Exists

How To Use This Book - An ADHD-Friendly Guide

Chapter 1: Why Trauma Feels Different with an ADHD Brain

Chapter 2: The Neuroscience - Dysregulation, RSD, Executive Function and Time-Blindness

Chapter 3: Memory and Trauma - Why the Past Feels Present

Chapter 4: The Nervous System on ADHD - Hyperarousal, Shutdown and Masking

Chapter 5: Building Safety First - ADHD-Friendly Foundations for Regulation

Chapter 6: Body-Based Tools That Work with Distractibility and Overwhelm

Chapter 7: Emotions, RSD and Shame - From Self-Blame to Self-Compassion

Chapter 8: Reframing the Past - Late Diagnosis, Grief and Reprocessing

Chapter 9: Relationships, Rejection and Repair - Healing in Connection

Chapter 10: Daily Integration - Work, Burnout, Time and Daily Life

Chapter 11: Healing Roadmap - Integration, Growth and Ongoing Self-Support

Chapter 12: Living Forward - Safety, Connection and Becoming More You

Conclusion: A Final Note on Becoming More You

Bibliography And Recommended Reading

Appendixes - Practical Tools, Worksheets And Journals

Appendix A: ADHD-Friendly Regulation Menu

Template

Appendix B: Portable Safety Kit Builder

Appendix C: Window of Tolerance Tracking Sheets

Appendix D: Two-Column Reframe Worksheets

Appendix E: Timeline and Parts Work Templates

Appendix F: Communication and Repair Scripts

Appendix G: Daily Rhythm and Energy Planning Sheets

Appendix H: Weekly Review and Compassionate Reflection Journals

Appendix I: Glossary - Expanded

About The Author

Additional Resources

Introduction: Why This Book Exists

If you were diagnosed with ADHD as an adult, you may have had a moment that felt both shattering and clarifying. Someone finally gave you language for why you had always felt different. Why sitting still felt impossible. Why time slipped away. Why emotions hit like a tidal wave. Why rejection felt physically painful. Why you could hyperfocus for six hours on something you loved and could not start a ten-minute task you hated.

For many of us, that diagnosis also opened another door. Once we understood ADHD, we started to understand trauma. Not necessarily trauma as a single catastrophic event, but trauma as the repeated

experience of being misunderstood, corrected, shamed, excluded, or overwhelmed in a world that was not built for our wiring. The trauma of masking for decades to appear neurotypical. The trauma of being told you were lazy when you were overloaded. The trauma of trying harder and harder and still feeling like you were failing.

This book exists because that link - between ADHD and trauma - is still missing from most books, most therapy rooms, and most workplaces.

I wrote this book because I have lived this overlap and I have worked alongside many adults who have too. I know what it is like to have a brain that makes fast, brilliant connections and also forgets why you walked into a room. I know what it is like to feel RSD - rejection sensitive dysphoria - as heat in your face and a sinking in your

chest, and to tell yourself you are too sensitive. I know what it is like to burn out from masking and then shame yourself for burning out.

I also know that traditional trauma tools, while powerful, often assume a neurotypical brain. They assume you can sit still for thirty minutes, track your breath linearly, journal for pages, and remember to practice without external cues. If you have an ADHD brain, you may have tried those tools and concluded, this does not work for me, or worse, I cannot even do healing right.

You can. You just need tools that work with your brain, not against it.

This book is built on four design principles that make regulation and healing more ADHD-accessible:

External: Move the work out of your head and into the world. Paper, objects, visuals, movement, environment.

Short-burst: Two to five minutes, not twenty to sixty. Small enough to start, often enough to build pathways.

Visual: Make safety, time, and progress visible. Colors, icons, timers, objects you can see and touch.

Choice-based: You always have choice. Try, notice, keep what helps, leave what does not. You are the expert on your nervous system.

The title, Reframe, Regulate, Reconnect, is intentional. We need to reframe the past through an ADHD-informed lens, from self-blame to accurate context and self-compassion. We need to regulate the nervous system in ways that fit ADHD wiring, not fight it. And we need to reconnect, with

our own bodies, with safe others, and with a sense of belonging that does not require masking to earn.

Who This Book Is For

This book is for late-diagnosed ADHD adults who recognize trauma responses in themselves. It is for those who feel easily overwhelmed, who experience RSD and shame, who have cycled through burnout, who mask and want to mask less. It is for therapists, coaches, and partners who want to understand ADHD and trauma together, not as separate silos.

You do not need an official trauma diagnosis to find this book helpful. If you have felt the impact of repeated overwhelm, rejection, and masking, this book speaks to that experience.

How This Book Is Different

This is not a book about fixing ADHD. ADHD is not a flaw to fix. It is a wiring difference with challenges and strengths. This is a book about healing trauma that has been layered on top of ADHD, often because ADHD was not understood.

It is also not a book that says just try harder to regulate. It says, let us design regulation that fits your brain.

You will not find long, dense chapters that require perfect focus. Each chapter has three sections, each with concrete tools, externalization practices, and two-minute experiments. You can read linearly or dip into the chapter you need most right now.

Most importantly, this book honors both grief and relief. Grief for years without support. Relief for finally having language. Both deserve space.

Thank you for being here. Thank you for being willing to revisit your story with more compassion and more accurate information. You were never lazy, broken, or too much. You were unsupported in a world that did not understand your wiring. Now, you have the chance to offer yourself the support you deserved then, and to live forward as more you.

How To Use This Book - An ADHD-Friendly Guide

You do not have to read it cover to cover in order. Start with the chapter that calls to you. Many readers start with Chapters 4 and 5 for immediate regulation support.

Use the 2-minute rule. If a practice feels big, shrink it to 2 minutes or less. A little done consistently matters more than a lot done once.

Externalize everything. Keep a notebook, sticky notes, or cards nearby. Write tools, not just think them. Your regulation menu should live outside your head.

Track with marks, not paragraphs. Use dots, colors, or symbols to track window, energy,


and tool use. Visual tracking is faster and more ADHD-friendly than long journaling.

Permission to skip. If an exercise feels too activating, skip it. Return later or adapt it. Healing requires choice, not compliance.

Build a Safety Kit as you go. By the end of Chapter 5, aim to have 2-3 items that signal safety you can reach easily.

Involve support where possible. Share a tool or reframe with a safe person, therapist, or ADHD community. Co-regulation helps new pathways stick.

Chapter 1: Why Trauma Feels Different with an ADHD Brain



Section 1: The intersection of ADHD and trauma - why this book exists and who it is for




Figure 1.1: Intersection of ADHD and trauma - Venn diagram showing overlap

If you have ever found yourself thinking, I know that thing happened years ago, so why does it still feel like it is happening right now, you are in the right place. If you have read trauma books before and thought, this makes sense in theory, but I cannot actually do these exercises, my brain does not work like that, you are also in the right place. And

if you received an ADHD diagnosis in adulthood and suddenly started re-examining your entire life story through a new lens, wondering which parts were personality, which parts were coping, and which parts were trauma responses that never got named, this book was written with you in mind.

This is not a book about ADHD in the productivity sense. There are plenty of books about planners and pomodoros. This is a book about what happens when a nervous system that is already wired for intensity, sensitivity, and fast, associative thinking meets experiences that overwhelm its capacity to cope.

For a long time, the conversation about ADHD and the conversation about trauma have lived in separate rooms. One room talks about executive function, dopamine, working memory, time-blindness, and

emotional dysregulation. The other talks about the nervous system, triggers, memory fragmentation, and healing. But in real life, in real bodies and real relationships, they live in the same house. They share a kitchen. They interrupt each other.

Many adults with ADHD carry a history of being misunderstood long before they had language for ADHD. You may have been told you were too sensitive, too much, too intense, too scattered, lazy, dramatic, careless. When you hear those messages repeatedly as a child, your nervous system learns to scan for threat. Not because you are broken, but because you were trying to stay safe and connected in environments that were not built for your wiring.

That is where trauma and ADHD begin to braid together. Not always as one big event, although for some people there are big events. More often as a series of smaller

ruptures, corrections, rejections, and overwhelm moments that accumulate. The ADHD brain, with its depth of feeling and difficulty with inhibition, does not file those moments away neatly. It holds them.

This book is for you if you are an adult with ADHD, formally diagnosed or self-identified after years of research that finally made things click. It is for you if you are a woman or AFAB person who was missed because you were quiet, anxious, perfectionistic, or good at masking. It is for you if you are high-functioning at work but privately exhausted, living with a low hum of hypervigilance. And it is for you if you love someone with ADHD and want to understand why certain conflicts keep repeating.

A quick and important note before we go further. This book is psychoeducational and informational. It is not a diagnosis, it is not

therapy, and it is not a replacement for professional support. If you have a trauma history that feels active, please consider having a therapist, coach, or trusted support person alongside you as you read. We will not go into graphic detail about trauma events here. We will focus on mechanisms and practical tools for safety and regulation. You always get to choose what to try, what to skip, and what pace feels right. Healing with an ADHD brain is not about doing everything perfectly. It is about finding a few things that actually work with your wiring and practicing them in small, doable ways.

Section 2: How ADHD traits amplify trauma responses - overview of dysregulation, RSD, memory and time-blindness




Figure 1.2: How ADHD traits amplify trauma responses - flow from sensitivity

So why does trauma often feel louder, stickier, and harder to release when you have an ADHD mind?

It is not because you are weaker or less resilient. It is because several core features

of ADHD directly interact with how trauma is processed, stored, and replayed.

Let us walk through them together, not as deficits, but as mechanisms.

First, emotional dysregulation. ADHD is not just about attention. It is deeply about regulation. The ADHD brain tends to feel emotions quickly, intensely, and with a longer return to baseline. Think of it like having a very responsive smoke detector. It goes off fast, it is loud, and it takes a while to quiet down even after you have checked that there is no fire. When a trauma trigger hits that system, the emotional response can be big and fast. It can feel like zero to a hundred in seconds. And because the return to baseline is slower, you may stay activated longer than people around you. That does not mean you are overreacting. It means your nervous system is responding according to its wiring.

Second, rejection sensitive dysphoria, or RSD. This is not a formal diagnosis, but it is a term many ADHD adults recognise instantly. It describes an intense, almost physical pain in response to perceived rejection, criticism, or failure. If you grew up with a lot of correction, your brain may have learned to scan for rejection as a way to stay safe. In trauma terms, that is hypervigilance. With ADHD, that scan can be almost constant and very fast. A slight change in someone's tone, a delayed text, a look that you interpret as disapproval can activate the same pathways as a bigger threat. So relational trauma can feel particularly tender.

Third, executive function and inhibition. Executive function is the brain's management system - working memory, planning, task initiation, emotional inhibition. In ADHD, this management system is inconsistent, not absent. When

trauma is activated, executive function tends to go offline for everyone. With ADHD, that offline feeling may be more pronounced and harder to recover from. That is why tools that require sustained focus, linear journaling for an hour, or sitting still with your eyes closed for twenty minutes can feel impossible right when you need them most. It is not a lack of effort. It is that the very system those tools require is the system that is temporarily less available.

Fourth, working memory and memory fragmentation. ADHD affects working memory, which is the mental workspace where you hold and manipulate information. Trauma also affects memory. It can fragment it, so you get pieces rather than a coherent story. Put those two together and you may notice that you remember the feeling vividly but not the sequence, or you remember one detail with intense clarity and nothing around it. You

may have difficulty building a coherent narrative that helps your brain understand, that happened then, I am safe now. Without that narrative, the past can feel present.

Fifth, time-blindness. Many ADHD adults experience time as now or not now. Trauma does the same thing. When a trauma memory is activated, it does not feel like a memory. It feels like it is happening now. If your brain already has a looser sense of time, that now feeling can be even stronger. You may intellectually know the event is over, but your body does not get the memo.

Sixth, hyperfocus and associative thinking. The ADHD mind makes connections quickly. That is a gift for creativity. It also means that when a trigger appears, your brain may make five leaps in a second to other related memories, future worries, and worst-case scenarios. One small trigger can turn into a

cascade before you have had time to notice.

None of these mechanisms mean you are destined to stay stuck. They simply explain why generic approaches that assume neurotypical regulation, memory, and time perception often fall short. When you understand the mechanism, you can choose tools that work with your wiring rather than against it.

For example, if you know that your window of tolerance is narrower when you are under-slept or overstimulated, you can plan for that. If you know that RSD makes direct criticism feel dangerous, you can build communication practices that include reassurance and pause. If you know that working memory limits make long reflective writing hard, you can use visual maps, voice notes, or two-minute check-ins instead.

Understanding is not about labeling yourself. It is about de-shaming your experience. So many ADHD adults carry a story that they are too sensitive or too much. When you see the mechanism, that story softens into, oh, my brain processes intensity differently, and there are reasons this feels hard, and there are ways to support it.

Section 3: What this book is and is not - psychoeducational framing, safety and professional support




Figure 1.3: What this book is and is not - psychoeducational framing

Let us be clear about what you can expect from this book and what you cannot.

This book is a guide to understanding.

It will walk you through how the ADHD brain processes, stores, and replays traumatic experiences. It will offer language for things you may have felt but not had words for. It

will normalize experiences that many ADHD adults think are personal failings.

This book is a toolkit adapted for ADHD.

Every practice in this book has been filtered through an ADHD lens. We ask, will this work for a brain that is distractible, that is easily overwhelmed, that struggles with initiation, that needs novelty and interest?

That means practices are short, usually two to five minutes. They are externalized, meaning out of your head and into the world, visual, tangible, auditory. They are choice-based. You get to try them and decide. Nothing here requires you to sit still for a long time or push through pain.

This book is a reframe.

For those of you who were diagnosed late, we will spend time revisiting the past with compassion. Not to rewrite history or to blame anyone, but to add context. So many

people say after diagnosis, I finally understand why school was so hard, why friendships felt so confusing, why I tried so hard and still felt like I was failing. That reframe can bring grief, anger, relief, and deep self-compassion, sometimes all in the same hour. We will hold space for that.

This book is not therapy.

It cannot replace a therapeutic relationship, especially if you are working with complex trauma, PTSD, or ongoing safety concerns. If you notice that reading activates a lot, please pause. Ground. Reach out. You do not need to push through this book linearly. You can skip to the regulation chapters first. You can read a paragraph and put it down.

This book is not about graphic trauma processing.

We will not ask you to recount traumatic events in detail. We will focus on how your nervous system responds now and what helps it feel safer now. If you are working with EMDR or other trauma processing modalities with a therapist, this book can be a companion, not a substitute.

This book is not about fixing ADHD.

ADHD is not something to fix. It is a wiring difference with challenges and strengths. Healing trauma with an ADHD brain is not about becoming neurotypical. It is about building safety, regulation, and connection in ways that honor your wiring.

How to use this book with an ADHD brain.

First, permission to read non-linearly.

If Chapter 1 feels activating, go to Chapter 5, which is about building safety.

Second, use externalization from the start. Have a small notebook or phone note where you jot down one sentence that resonated, not a full summary.

Third, choose one tool at a time. The ADHD brain loves to collect tools and then feel overwhelmed by the collection. Try one two-minute practice for a few days before adding another.

Fourth, build in body first. When in doubt, start with the body. Breath, movement, sensory input. The cognitive reframe is easier once the nervous system has a little more safety.

Finally, a note on language. I will use ADHD mind, ADHD brain, ADHD wiring interchangeably. I will sometimes say neurodivergent, but this book focuses specifically on ADHD experiences. I will use trauma in a broad sense to include both big-T events and accumulated small-t

ruptures, relational wounds, and chronic overwhelm. If a term does not fit you, please adapt it.

You deserve to understand your own nervous system. You deserve tools that actually fit. You deserve to move from self-blame to self-compassion, from overwhelm to moments of choice, from fragmentation to a more coherent story that includes both your challenges and your strengths.

We will start in the next chapter with the deeper neuroscience, not in a dense textbook way, but in a way that helps you recognize yourself and feel less alone. Then we will build safety, tools, reframe, and integration step by step, always with your ADHD wiring in mind.

You are not too much. Your responses make sense given your wiring and your history. Let us explore how your brain deals with

trauma and how you can support it toward healing.



Case Study – Chapter 1:

The Missing Link

Aisha, 37, was diagnosed with ADHD at 34 after years of anxiety treatment that never quite fit.

She described reading trauma books and thinking, I understand this intellectually, but I cannot do the exercises when I am flooded.

In school she was labelled dramatic

and lazy.

She masked by over-preparing and people-pleasing.

When she began to map her history, she noticed a pattern: small, repeated ruptures – being told off for fidgeting, forgetting kit, blurting answers – accumulated into a deep belief that she was fundamentally wrong.

Using the chapter framework, she learned to see this not as character flaw but as a braid of ADHD wiring and trauma responses.

She externalised her story on paper, separating wiring from character, and began to name masking as a survival strategy that once helped but now exhausted her.

This reframe reduced shame and opened curiosity about safety tools.



End of Chapter Exercise – Chapter 1:

Mapping Your Braid

Time: 5 minutes, external and choice-based.

Materials: Paper and pen.

Step 1 – Draw two overlapping circles, label one ADHD Wiring, one Trauma Responses.

Step 2 – In ADHD circle, list three traits you recognise – for example intensity, fast associative thinking, need for movement.

Step 3 – In Trauma circle, list three learned responses – for example scanning for rejection, masking, shutdown after criticism.


Step 4 – In overlap, list where they braid – for example big emotions plus past correction equals shame spiral.

Step 5 – Choose one braid to explore with curiosity this week: When does it show up, what helps a little?

No need to fix, just notice and externalise.

Write one sentence: It makes sense I feel this because wiring plus history

plus context.



ADHD: Reframe, Regulate, Reconnect

A Trauma-Informed, ADHD-Adapted Guide to Healing, Authenticity and Belonging

FOR LATE-DIAGNOSED ADULTS RECLAIMING SAFETY AFTER A LIFETIME OF MASKING

Loved this sample?

Keep reading. Chapter 2 unpacks dysregulation, RSD, and time-blindness.

You can. You just need tools that work with your brain, not against it.

CONTINUE READING
On Spectrum Threadz Press • EPUB + PDF + MOBI

GET IT ON GOOGLE PLAY BOOKS
Read on your phone, tablet or computer

LISTEN TO THE AUDIOBOOK
On Google Play • Narrated for busy brains

Trevor Stephenson • spectrumthreadz.co.uk
This sample includes the front cover through the end of Chapter 1.
For educational purposes only. Not a replacement for professional support.